



PVC 32

DESCRIPTION	Silent tape single sided self-adhesive tape
BACKING	PVC Film 32 my ± 8%
ADHESIVE DESCRIPTION	Natural rubber, hydrocarbonic resins, solvent based, antioxidants, colouring agents.
TOTAL THICKNESS	52 my ± 10%
ADHESION TO STEEL	1,9 N/cm ± 10%
TENSILE STRENGTH	48 N/cm ± 10%
ELONGATION	90% ± 20%
TEMPERATURE RESISTANCE	0 > < 70°C
ROLLING BALL TACK	≤ 4 cm
AVAILABLE COLORS	White / transparent / brown

Application



Single sided carton sealing tape, constant over time, with high resistance, softness and plasticity so as to adhere to any surface, from industrial packaging (standard and most recycled cartons) to paper mills.

Features and benefits

- | | |
|---------------------------------|--|
| <p>Natural rubber adhesive:</p> | <ul style="list-style-type: none"> • Performing even at low temperature. • Good adhesion in several application. • Suitable for use on most recycled cartons. |
| <p>PVC backing:</p> | <ul style="list-style-type: none"> • Well adaptable to different shapes. • Good elongation. • No noise unwinding. |

Product shelf life and storage: 12 months, based on the product being stored at 23°C - 60% relative humidity out of direct sunlight. This information is gained from sample tests conducted on a material similar to that produced and purchased within the six months preceding the date of order's completion. These data therefore indicate a reference average value to the specifications established by Autoadesivi Magri. Appearance and technical features are subject to variations over time caused by ageing, anyway they do not affect the product's quality and functionality.

Packaging characteristics

Flat packs of 6 shrunk rolls	
Stack packaging starting from 2 shrunk rolls	
Single roll for exposure wrapped with plastic film	
Boxes and internal cores can be: <ul style="list-style-type: none"> - neutral; - personalized on customer request; - personalized Magri. 	

Labelling

1-color label, 100 mm x 110 mm on each box (standard)	
Four-colors label on each box	
Lateral label on stack rolls	
Label on each pack of 6 rolls	
Top / lateral label on each single roll	
Personalized label on each pallet	





Packaging specifications

Width mm	Roll - length m												Number of roll per box (in standard packaging)		
	50	66	100	132	330	660	990	1000	1056 (**)	1320 (**)	1500	2000	Up to m 132	m 330	m 660/990/1000 1500/2000
9 (*)	•	•	•	•									192	-	-
12	•	•	•	•	•								144	48	-
15	•	•	•	•	•								120	40	-
19	•	•	•	•	•								96	32	-
25	•	•	•	•	•	•							72	24	12
30	•	•	•	•	•	•							60	20	10
38	•	•	•	•	•	•	•				•	•	48	16	8
48	•	•	•	•			•					•	36	-	-
50	•	•	•	•	•	•	•				•	•	36	12	6
60	•	•	•	•	•	•	•				•	•	30	10	5
75	•	•	•	•	•	•	•	•			•	•	24	8	4
96		•	•	•			•					•	18	6	3
100		•	•	•	•	•	•	•				•	18	6	3
144		•	•	•			•	•					12	4	2
150		•	•	•	•	•	•	•			•	•	12	4	2
200 (**)															
300						•	•	•			•	•	-	-	1

(*) Polypropylene tape in 9 mm width is not produced.

(**) On request.

Structure of the pallet

Roll - Length m 50 / 66 / 330	Roll - Length m 100 / 132
N. boxes per pallet (standard packaging) 60 / 66 / 72 / 84 / 90	N. boxes per pallet (standard packaging) 54 / 60
EUROPALLET cm 80 X120 / 100 X 120 - H cm 200	EUROPALLET cm 80 X120 / 100 X 120 - H cm 200
	
Roll - Length m 660	Roll - Length m 990 / 1000
N. boxes per pallet 48	N. boxes per pallet 48
EUROPALLET cm 90 X120 - High cm 140	EUROPALLET cm 90 X120 - High cm 140
	



Autoadesivi Magri srl
Via Quattro Vie, 7
40050 Castello d'Argile BO Italia

Tel. +39 051 6867052
Tel. +39 051 6867060
Fax +39 051 6867032

mail@autoadesivimagri.com
www.autoadesivimagri.com